L Number	Hits	Search Text	DB	Time stamp
1	3080	709/204-207.ccls.	USPAT; US-PGPUB;	2003/10/28 19:22
2	17	709/204-207.ccls. and (conferenc\$5.ab. and video.ab.) and (video.ti. and video.ab.)	EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2003/10/28 19:23
-	150603	video.ti.	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2003/10/21 17:10
-	192905	video.ab.	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2003/10/21 17:11
_	9027	conferenc\$5.ab.	IBM_TDB USPAT; US-PGPUB; EPO;	2003/10/21 17:11
-	8395	conferenc\$5.ti.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2003/10/21 17:11
-	. 9955	3and conferenc\$5.ti.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2003/10/21 17:11
_	4436	conferenc\$5.ab. and conferenc\$5.ti.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2003/10/21 17:30
řč	3845	conferenc\$5.ab. and video.ab	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2003/10/21 17:12
-	90052	video.ti. and video.ab.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2003/10/21 17:30
-	2249	(conferenc\$5.ab. and video.ab.) and (video.ti. and video.ab.)	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2003/10/28 19:23
-	31	((conferenc\$5.ab. and video.ab.) and (video.ti. and video.ab.)) and process\$5 near5 receiv\$5 near3 audio with video	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2003/10/21 17:34
-	126	((conferenc\$5.ab. and video.ab.) and (video.ti. and video.ab.)) and process\$5 near5 audio with video	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/10/22 13:46

				10000/10/00
-	27	(video.ti. and video.ab.)) and process\$5	USPAT; US-PGPUB;	2003/10/22 11:39
		near5 audio with video) and h.320	EPO; DERWENT; IBM TDB	
-	23	((((conferenc\$5.ab. and video.ab.) and (video.ti. and video.ab.)) and process\$5	USPAT; US-PGPUB;	2003/10/21
		near5 audio with video) and h.320) and	EPO;	19:25
		(combin\$5 or mix\$5) near5 video	DERWENT; IBM_TDB	
-	2051290	"23" and @ad<19991005	USPAT; US-PGPUB;	2003/10/22 14:04
			EPO; DERWENT;	
-	14	(((((conferenc\$5.ab. and video.ab.) and	IBM_TDB USPAT;	2003/10/22
į		<pre>(video.ti. and video.ab.)) and process\$5 near5 audio with video) and h.320) and</pre>	US-PGPUB; EPO;	14:22
		(combin\$5 or mix\$5) near5 video) and @ad<19991005	DERWENT; IBM TDB	
-	1	("6633985").PN.	USPAT; US-PGPUB;	2003/10/21 17:46
			EPO; DERWENT;	
_	14	((((((conferenc\$5.ab. and video.ab.) and	IBM_TDB USPAT;	2003/10/21
		(video.ti. and video.ab.)) and process\$5 near5 audio with video) and h.320) and	US-PGPUB; EPO;	19:00
		(combin\$5 or mix\$5) near5 video) and @ad<19991005) and multi\$6	DERWENT; IBM TDB	
-	10		USPAT; US-PGPUB;	2003/10/21 19:14
		near5 audio with video) and h.320) and (combin\$5 or mix\$5) near5 video) and	EPO; DERWENT;	
		<pre>@ad&lt;19991005) and multi\$6) and (combin\$5 or mix\$5) near5 signal\$5</pre>	IBM_TDB	
-	6	•	USPAT; US-PGPUB;	2003/10/21 19:25
		near5 audio with video) and h.320) and (combin\$5 or mix\$5) near5 local	EPO; DERWENT;	
_	8	(((conferenc\$5.ab. and video.ab.) and	IBM_TDB USPAT;	2003/10/21
	. 5-	<pre>(video.ti. and video.ab.)) and process\$5 near5 receiv\$5 near3 audio with video)</pre>	US-PGPUB; EPO;	19:26
		and (combin\$5 or mix\$5) near5 local	DERWENT; IBM_TDB	
-	1	(((((((conferenc\$5.ab. and video.ab.) and (video.ti. and video.ab.)) and	USPAT; US-PGPUB;	2003/10/21 19:26
		process\$5 near5 audio with video) and h.320) and (combin\$5 or mix\$5) near5	EPO; DERWENT;	
		video) and @ad<19991005) and multi\$6) and (combin\$5 or mix\$5) near5 signal\$5) and	IBM_TDB	
_	3	1 , , , , , , , , , , , , , , , , , , ,	USPAT;	2003/10/21
		(video.ti. and video.ab.)) and process\$5 near5 audio with video) and h.320) and	US-PGPUB; EPO;	19:27
		(combin\$5 or mix\$5) near5 video) and @ad<19991005) and local near5 audio with	DERWENT; IBM_TDB	
_	14	1 , , , , ,	USPAT;	2003/10/22
		(video.ti. and video.ab.)) and process\$5 near5 audio with video) and h.320) and	US-PGPUB; EPO;	11:39
		(combin\$5 or mix\$5) near5 video) and @ad<19991005	DERWENT; IBM_TDB	
-	126	(video.ti. and video.ab.)) and process\$5	USPAT; US-PGPUB;	2003/10/22 11:39
		near5 audio with video)	EPO; DERWENT;	
L	<u> </u>	<u></u>	IBM_TDB	

	100		··	10000 (10 (00
-	126	((conferenc\$5.ab. and video.ab.) and	USPAT;	2003/10/22
	İ	<pre>(video.ti. and video.ab.)) and process\$5 near5 audio with video</pre>	US-PGPUB;	14:43
		nears audio with video	EPO; DERWENT;	İ
			IBM TDB	
_	68	(((conferenc\$5.ab. and video.ab.) and	USPAT;	2003/10/22
		(video.ti. and video.ab.)) and process\$5	US-PGPUB;	14:20
		near5 audio with video ) and (combin\$5 or	EPO;	
		mix\$5 or multiplex\$5) with audio with	DERWENT;	
ŀ		video	IBM_TDB	
-	91	(((conferenc\$5.ab. and video.ab.) and	USPAT;	2003/10/22
		(video.ti. and video.ab.)) and process\$5	US-PGPUB;	14:00
		near5 audio with video ) and (receiv\$5 or	EPO;	
	1	transmi\$6) near5 audio with video	DERWENT;	1
	62	///genforences ab and wideo ab \ and	IBM_TDB USPAT;	2003/10/22
-	02	((((conferenc\$5.ab. and video.ab.) and (video.ti. and video.ab.)) and process\$5	US-PGPUB;	14:00
1		near5 audio with video ) and (combin\$5 or	EPO;	14.00
		mix\$5 or multiplex\$5) with audio with	DERWENT;	
		video) and ((((conferenc\$5.ab. and	IBM TDB	
	}	video.ab.) and (video.ti. and video.ab.))		
		and process\$5 near5 audio with video )		
		and (receiv\$5 or transmi\$6) near5 audio		
		with video)		0000 /10 /00
-	51	(((((conferenc\$5.ab. and video.ab.) and	USPAT;	2003/10/22
		(video.ti. and video.ab.)) and process\$5	US-PGPUB;	14:03
		near5 audio with video ) and (combin\$5 or mix\$5 or multiplex\$5) with audio with	EPO; DERWENT;	
		video) and ((((conferenc\$5.ab. and	IBM TDB	
		video.ab.) and (video.ti. and video.ab.))	12.1_122	
		and process\$5 near5 audio with video )		
		and (receiv\$5 or transmi\$6) near5 audio		
		with video)) and (cod\$6 or encod\$5) near5		
		(audio or video or imag\$3 or picturre or		
		sound\$3 or voice or signal\$3)		
-	25	((((((conferenc\$5.ab. and video.ab.) and	USPAT;	2003/10/22
		(video.ti. and video.ab.)) and process\$5	US-PGPUB;	14:04
		near5 audio with video ) and (combin\$5 or mix\$5 or multiplex\$5) with audio with	EPO; DERWENT;	
		video) and ((((conferenc\$5.ab. and	IBM_TDB	
		video.ab.) and (video.ti. and video.ab.))	IBM_IDB	
		and process\$5 near5 audio with video )		
-		and (receiv\$5 or transmi\$6) near5 audio		Sea.
		with video)) and (cod\$6 or encod\$5) near5		
		(audio or video or imag\$3 or picturre or		
		sound\$3 or voice or signal\$3)) and		
		(software or prgram\$3 or application)		
	10	with (audio with video)	HCDAM -	2002/10/22
-	18	<pre>(((((((conferenc\$5.ab. and video.ab.) and (video.ti. and video.ab.)) and process\$5</pre>	USPAT; US-PGPUB;	2003/10/22 14:04
		near5 audio with video ) and (combin\$5 or	EPO;	13.03
		mix\$5 or multiplex\$5) with audio with	DERWENT;	
		video) and (((conferenc\$5.ab. and	IBM TDB	
		<pre>video.ab.) and (video.ti. and video.ab.))</pre>	_	
		and process\$5 near5 audio with video )		
		and (receiv\$5 or transmi\$6) near5 audio		
		with video)) and (cod\$6 or encod\$5) near5		
		(audio or video or imag\$3 or picturre or		
		sound\$3 or voice or signal\$3)) and   (software or prgram\$3 or application)		
		with (audio with video)) and @ad<19991005		
_	4		USPAT;	2003/10/22
	"	(video.ti. and video.ab.)) and process\$5	US-PGPUB;	14:20
		near5 audio with video ) and (combin\$5 or	EPO;	
1		mix\$5 or multiplex\$5) with audio with	DERWENT;	
		video with local\$3	IBM_TDB	
-	1		USPAT;	2003/10/22
		(video.ti. and video.ab.)) and process\$5	US-PGPUB;	14:21
		near5 audio with video ) and (combin\$5 or	EPO;	
	1	mix\$5 or multiplex\$5) with audio with	DERWENT;	
L.,		video with client	IBM_TDB	L

-	6	(((conferenc\$5.ab. and video.ab.) and	USPAT;	2003/10/22
		(video.ti. and video.ab.)) and process\$5	US-PGPUB;	14:21
		near5 audio with video ) and (combin\$5 or	EPO;	
		mix\$5 or multiplex\$5) with audio with	DERWENT;	
	_	video with user	IBM_TDB	2002/10/00
-	5	(((conferenc\$5.ab. and video.ab.) and	USPAT;	2003/10/22
		(video.ti. and video.ab.)) and process\$5	US-PGPUB;	14:21
	1	near5 audio with video ) and (combin\$5 or	EPO;	
		mix\$5 or multiplex\$5) with audio with	DERWENT;	
	1000	video with end\$6	IBM_TDB	2002/10/22
-	1988	((((conferenc\$5.ab. and video.ab.)) and	USPAT;	2003/10/22
		(video.ti. and video.ab.)) and process\$5	US-PGPUB;	14:23
		near5 audio with video ) and (combin\$5 or	EPO;	
		mix\$5 or multiplex\$5) with audio with	DERWENT;	
		video with client) Or ((((conferenc\$5.ab.	IBM_TDB	
	<u> </u>	and video.ab.) and (video.ti. and		
		video.ab.)) and process\$5 near5 audio		
		with video ) and (combin\$5 or mix\$5 or		
	1	multiplex\$5) with audio with video with		
		user) or ((((conferenc\$5.ab. and		
	1	video.ab.) and (video.ti. and video.ab.))		
		and process\$5 near5 audio with video )		
	1	and (combin\$5 or mix\$5 or multiplex\$5)		
	10	with audio with video with end\$6)	HCDATT-	2002/10/22
-	12	((((conferenc\$5.ab. and video.ab.) and	USPAT;	2003/10/22
		<pre>(video.ti. and video.ab.)) and process\$5 near5 audio with video ) and (combin\$5 or</pre>	US-PGPUB; EPO;	14:23
			DERWENT;	
		mix\$5 or multiplex\$5) with audio with video with client) or (((conferenc\$5.ab.		
		and video.ab.) and (video.ti. and	IBM_TDB	
		video.ab.)) and process\$5 near5 audio		
		with video ) and (combin\$5 or mix\$5 or		
		multiplex\$5) with audio with video with	*	
		user) or ((((conferenc\$5.ab. and		
		video.ab.) and (video.ti. and video.ab.))		
		and process\$5 near5 audio with video )		
		and (combin\$5 or mix\$5 or multiplex\$5)		
		with audio with video with end\$6)		
_	7		USPAT;	2003/10/22
	,	and (video.ti. and video.ab.)) and	US-PGPUB;	14:24
		process\$5 near5 audio with video ) and	EPO;	
		(combin\$5 or mix\$5 or multiplex\$5) with	DERWENT;	
		audio with video) and (((conferenc\$5.ab.	IBM_TDB	sa.
		and video.ab.) and (video.ti. and		
1		video.ab.)) and process\$5 near5 audio		
		with video ) and (receiv\$5 or transmi\$6)		
		near5 audio with video)) and (cod\$6 or		
		encod\$5) near5 (audio or video or imag\$3		
		or picturre or sound\$3 or voice or		
		signal\$3)) and (software or prgram\$3 or		
		application) with (audio with video)) and		
	]	@ad<19991005) and ((((conferenc\$5.ab.		
		and video.ab.) and (video.ti. and		
		video.ab.)) and process\$5 near5 audio		
	1	with video ) and (combin\$5 or mix\$5 or		
		multiplex\$5) with audio with video with		
		client) or ((((conferenc\$5.ab. and		
	1	video.ab.) and (video.ti. and video.ab.))		
	1	and process\$5 near5 audio with video )		
		and (combin\$5 or mix\$5 or multiplex\$5)		
		with audio with video with user) or		
		((((conferenc\$5.ab. and video.ab.) and		
		(video.ti. and video.ab.)) and process\$5		
		near5 audio with video ) and (combin\$5 or		
		mix\$5 or multiplex\$5) with audio with		
	l	video with end\$6))		

-	3	((((((((conferenc\$5.ab. and video.ab.)	USPAT;	2003/10/22
	ļ	and (video.ti. and video.ab.)) and	US-PGPUB;	15:19
		process\$5 near5 audio with video ) and	EPO;	
	ţ	(combin\$5 or mix\$5 or multiplex\$5) with	DERWENT;	
		audio with video) and (((conferenc\$5.ab.	IBM_TDB	
	ļ.	and video.ab.) and (video.ti. and		
		video.ab.)) and process\$5 near5 audio		
		with video ) and (receiv\$5 or transmi\$6)		
		near5 audio with video)) and (cod\$6 or		
1		encod\$5) near5 (audio or video or imag\$3		
		or picturre or sound\$3 or voice or		
		signal\$3)) and (software or prgram\$3 or		
		application) with (audio with video)) and		
		@ad<19991005) and ((((conferenc\$5.ab.		•
		and video.ab.) and (video.ti. and		
		video.ab.)) and process\$5 near5 audio		
		with video ) and (combin\$5 or mix\$5 or		
		multiplex\$5) with audio with video with		
		client) or ((((conferenc\$5.ab. and		
1		video.ab.) and (video.ti. and video.ab.))		
		and process\$5 near5 audio with video )		
İ		and (combin\$5 or mix\$5 or multiplex\$5) with audio with video with user) or		
		((((conferenc\$5.ab. and video.ab.) and		
i		1 ' ' ' '		
	1	(video.ti. and video.ab.)) and process\$5		
		near5 audio with video ) and (combin\$5 or mix\$5 or multiplex\$5) with audio with		
		video with end\$6))) and process\$5 near5 audio with video with local\$5		
1_	216	((conferenc\$5.ab. and video.ab.) and	USPAT;	2003/10/22
	210	(video.ti. and video.ab.)) and (computer	US-PGPUB;	14:44
		or desktop) near6 video near5 conferenc\$5	EPO;	11.11
		or activopy hears video hears conterences	DERWENT;	
			IBM TDB	
_	1	(((((((((conferenc\$5.ab. and video.ab.)	USPAT;	2003/10/22
		and (video.ti. and video.ab.)) and	US-PGPUB;	14:45
	İ	process\$5 near5 audio with video ) and	EPO;	
		(combin\$5 or mix\$5 or multiplex\$5) with	DERWENT;	
		audio with video) and (((conferenc\$5.ab.	IBM TDB	
		and video.ab.) and (video.ti. and	<b>-</b>	
		video.ab.)) and process\$5 near5 audio	]	
		with video ) and (receiv\$5 or transmi\$6)		
		near5 audio with video)) and (cod\$6 or		i
			i	
1				
1		encod\$5) near5 (audio or video or imag\$3 or picturre or sound\$3 or voice or		
		encod\$5) near5 (audio or video or imag\$3		
		encod\$5) near5 (audio or video or imag\$3 or picturre or sound\$3 or voice or		
		encod\$5) near5 (audio or video or imag\$3 or picturre or sound\$3 or voice or signal\$3)) and (software or prgram\$3 or application) with (audio with video)) and @ad<19991005) and ((((conferenc\$5.ab.		
		encod\$5) near5 (audio or video or imag\$3 or picturre or sound\$3 or voice or signal\$3)) and (software or prgram\$3 or application) with (audio with video)) and		
		encod\$5) near5 (audio or video or imag\$3 or picturre or sound\$3 or voice or signal\$3)) and (software or prgram\$3 or application) with (audio with video)) and (@ad<19991005) and ((((conferenc\$5.ab. and video.ab.) and (video.ti. and video.ab.)) and process\$5 near5 audio		
		encod\$5) near5 (audio or video or imag\$3 or picturre or sound\$3 or voice or signal\$3)) and (software or prgram\$3 or application) with (audio with video)) and (@ad<19991005) and ((((conferenc\$5.ab. and video.ab.) and (video.ti. and video.ab.)) and process\$5 near5 audio with video) and (combin\$5 or mix\$5 or		
		encod\$5) near5 (audio or video or imag\$3 or picturre or sound\$3 or voice or signal\$3)) and (software or prgram\$3 or application) with (audio with video)) and (@ad<19991005) and ((((conferenc\$5.ab. and video.ab.) and (video.ti. and video.ab.)) and process\$5 near5 audio		
		encod\$5) near5 (audio or video or imag\$3 or picturre or sound\$3 or voice or signal\$3)) and (software or prgram\$3 or application) with (audio with video)) and (@ad<19991005) and ((((conferenc\$5.ab. and video.ab.)) and (video.ti. and video.ab.)) and process\$5 near5 audio with video) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video with client) or (((conferenc\$5.ab. and		
		encod\$5) near5 (audio or video or imag\$3 or picturre or sound\$3 or voice or signal\$3)) and (software or prgram\$3 or application) with (audio with video)) and (@ad<19991005) and ((((conferenc\$5.ab. and video.ab.)) and (video.ti. and video.ab.)) and process\$5 near5 audio with video) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video with client) or (((conferenc\$5.ab. and video.ab.))		
		encod\$5) near5 (audio or video or imag\$3 or picturre or sound\$3 or voice or signal\$3)) and (software or prgram\$3 or application) with (audio with video)) and (@ad<19991005) and ((((conferenc\$5.ab. and video.ab.)) and process\$5 near5 audio with video) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video with client) or (((conferenc\$5.ab. and video.ab.)) and (video.ti. and video.ab.)) and process\$5 near5 audio with video)		
		encod\$5) near5 (audio or video or imag\$3 or picturre or sound\$3 or voice or signal\$3)) and (software or prgram\$3 or application) with (audio with video)) and (@ad<19991005) and ((((conferenc\$5.ab. and video.ab.)) and process\$5 near5 audio with video) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video with client) or (((conferenc\$5.ab. and video.ab.)) and process\$5 near5 audio with video with client) or (((conferenc\$5.ab. and video.ab.)) and process\$5 near5 audio with video) and (combin\$5 or mix\$5 or multiplex\$5)		
		encod\$5) near5 (audio or video or imag\$3 or picturre or sound\$3 or voice or signal\$3)) and (software or prgram\$3 or application) with (audio with video)) and (@ad<19991005) and ((((conferenc\$5.ab. and video.ab.)) and process\$5 near5 audio with video) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video with client) or (((conferenc\$5.ab. and video.ab.)) and (video.ti. and video.ab.)) and process\$5 near5 audio with video with client) or (((conferenc\$5.ab. and video.ab.)) and process\$5 near5 audio with video) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video with user) or		
		encod\$5) near5 (audio or video or imag\$3 or picturre or sound\$3 or voice or signal\$3)) and (software or prgram\$3 or application) with (audio with video)) and (@ad<19991005) and ((((conferenc\$5.ab. and video.ab.)) and process\$5 near5 audio with video) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video with client) or (((conferenc\$5.ab. and video.ab.)) and process\$5 near5 audio with video with client) or ((ideo.ti. and video.ab.)) and process\$5 near5 audio with video) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video with user) or ((((conferenc\$5.ab. and video.ab.)) and		
		encod\$5) near5 (audio or video or imag\$3 or picturre or sound\$3 or voice or signal\$3)) and (software or prgram\$3 or application) with (audio with video)) and (@ad<19991005) and ((((conferenc\$5.ab. and video.ab.)) and process\$5 near5 audio with video) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video with client) or (((conferenc\$5.ab. and video.ab.)) and (video.ti. and video.ab.)) and process\$5 near5 audio with video with client) or mix\$5 or multiplex\$5) with audio with video) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video with user) or (((conferenc\$5.ab. and video.ab.)) and (video.ti. and video.ab.)) and		
		encod\$5) near5 (audio or video or imag\$3 or picturre or sound\$3 or voice or signal\$3)) and (software or prgram\$3 or application) with (audio with video)) and (@ad<19991005) and ((((conferenc\$5.ab. and video.ab.)) and process\$5 near5 audio with video) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video with client) or (((conferenc\$5.ab. and video.ab.)) and (video.ti. and video.ab.)) and process\$5 near5 audio with video) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video with user) or (((conferenc\$5.ab. and video.ab.)) and (video.ti. and video.ab.)) and (video.ti. and video.ab.)) and process\$5 near5 audio with video) and (combin\$5 or		
		encod\$5) near5 (audio or video or imag\$3 or picturre or sound\$3 or voice or signal\$3)) and (software or prgram\$3 or application) with (audio with video)) and (@ad<19991005) and ((((conferenc\$5.ab. and video.ab.)) and process\$5 near5 audio with video ) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video with client) or (((conferenc\$5.ab. and video.ab.)) and (video.ti. and video.ab.)) and process\$5 near5 audio with video with client) or (((conferenc\$5.ab. and video.ab.)) and process\$5 near5 audio with video) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video with user) or ((((conferenc\$5.ab. and video.ab.)) and (video.ti. and video.ab.)) and (video.ti. and video.ab.)) and process\$5 near5 audio with video) and (combin\$5 or mix\$5 or multiplex\$5) with audio with		
		encod\$5) near5 (audio or video or imag\$3 or picturre or sound\$3 or voice or signal\$3)) and (software or prgram\$3 or application) with (audio with video)) and (@ad<19991005) and ((((conferenc\$5.ab. and video.ab.)) and process\$5 near5 audio with video ) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video with client) or (((conferenc\$5.ab. and video.ab.)) and (video.ti. and video.ab.)) and process\$5 near5 audio with video ) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video ) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video with user) or (((conferenc\$5.ab. and video.ab.)) and (video.ti. and video.ab.)) and (video.ti. and video.ab.)) and (video.ti. and video.ab.)) and process\$5 near5 audio with video ) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video with end\$6))) and process\$5 near5		
		encod\$5) near5 (audio or video or imag\$3 or picturre or sound\$3 or voice or signal\$3)) and (software or prgram\$3 or application) with (audio with video)) and (@ad<19991005) and ((((conferenc\$5.ab. and video.ab.)) and process\$5 near5 audio with video) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video with client) or (((conferenc\$5.ab. and video.ab.)) and (video.ti. and video.ab.)) and process\$5 near5 audio with video) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video with user) or (((conferenc\$5.ab. and video.ab.)) and (video.ti. and video.ab.)) and (video.ti. and video.ab.)) and (video.ti. and video.ab.)) and process\$5 near5 audio with video) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video with end\$6))) and process\$5 near5 audio with video with local\$5) and		
		encod\$5) near5 (audio or video or imag\$3 or picturre or sound\$3 or voice or signal\$3)) and (software or prgram\$3 or application) with (audio with video)) and (@ad<19991005) and ((((conferenc\$5.ab. and video.ab.)) and process\$5 near5 audio with video) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video with client) or (((conferenc\$5.ab. and video.ab.)) and (video.ti. and video.ab.) and (video.ti. and video.ab.)) and process\$5 near5 audio with video) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video with audio with video with user) or (((conferenc\$5.ab. and video.ab.)) and (video.ti. and video.ab.)) and (video.ti. and video.ab.)) and process\$5 near5 audio with video) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video with audio with video with audio with video with audio with video with local\$5) and (((conferenc\$5.ab. and video.ab.)) and		
		encod\$5) near5 (audio or video or imag\$3 or picturre or sound\$3 or voice or signal\$3)) and (software or prgram\$3 or application) with (audio with video)) and (@ad<19991005) and ((((conferenc\$5.ab. and video.ab.)) and process\$5 near5 audio with video) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video with client) or (((conferenc\$5.ab. and video.ab.)) and (video.ti. and video.ab.) and (video.ti. and video.ab.)) and process\$5 near5 audio with video ) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video ) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video with user) or (((conferenc\$5.ab. and video.ab.)) and (video.ti. and video.ab.)) and process\$5 near5 audio with video) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video with audio with video with local\$5) and (((conferenc\$5.ab. and video.ab.)) and (computer		
		encod\$5) near5 (audio or video or imag\$3 or picturre or sound\$3 or voice or signal\$3)) and (software or prgram\$3 or application) with (audio with video)) and (@ad<19991005) and ((((conferenc\$5.ab. and video.ab.)) and process\$5 near5 audio with video) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video with client) or (((conferenc\$5.ab. and video.ab.)) and (video.ti. and video.ab.)) and process\$5 near5 audio with video with client) or (((conferenc\$5.ab. and video.ab.)) and process\$5 near5 audio with video) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video with user) or (((conferenc\$5.ab. and video.ab.)) and (video.ti. and video.ab.)) and process\$5 near5 audio with video ) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video with audio with video with local\$5) and (((conferenc\$5.ab. and video.ab.)) and (computer or desktop) near6 video near5		
		encod\$5) near5 (audio or video or imag\$3 or picturre or sound\$3 or voice or signal\$3)) and (software or prgram\$3 or application) with (audio with video)) and (@ad<19991005) and ((((conferenc\$5.ab. and video.ab.)) and process\$5 near5 audio with video) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video with client) or (((conferenc\$5.ab. and video.ab.)) and (video.ti. and video.ab.) and (video.ti. and video.ab.)) and process\$5 near5 audio with video ) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video ) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video with user) or (((conferenc\$5.ab. and video.ab.)) and (video.ti. and video.ab.)) and process\$5 near5 audio with video) and (combin\$5 or mix\$5 or multiplex\$5) with audio with video with audio with video with local\$5) and (((conferenc\$5.ab. and video.ab.)) and (computer		

[-	3	((((((((conferenc\$5.ab. and video.ab.)	USPAT;	2003/10/28
	_	and (video.ti. and video.ab.)) and	US-PGPUB;	19:22
		process\$5 near5 audio with video ) and	EPO;	
1		(combin\$5 or mix\$5 or multiplex\$5) with	DERWENT;	
1		audio with video) and (((conferenc\$5.ab.	IBM TDB	
		and video.ab.) and (video.ti. and	121122	
1		video.ab.)) and process\$5 near5 audio		İ
		with video ) and (receiv\$5 or transmi\$6)		
ļ		near5 audio with video)) and (cod\$6 or		
		encod\$5) near5 (audio or video or imag\$3		,
		or picturre or sound\$3 or voice or		
		signal\$3)) and (software or prgram\$3 or		
		application) with (audio with video)) and		
		@ad<19991005) and ((((conferenc\$5.ab.		
		and video.ab.) and (video.ti. and		
		video.ab.)) and process\$5 near5 audio		
]		with video ) and (combin\$5 or mix\$5 or		
		multiplex\$5) with audio with video with		
		client) or (((conferenc\$5.ab. and		
		video.ab.) and (video.ti. and video.ab.))		
}		and process\$5 near5 audio with video)		
]		and (combin\$5 or mix\$5 or multiplex\$5)		
		with audio with video with user) or		
		((((conferenc\$5.ab. and video.ab.) and		
		(video.ti. and video.ab.)) and process\$5		
		near5 audio with video ) and (combin\$5 or		
		mix\$5 or multiplex\$5) with audio with		
		video with end\$6))) and process\$5 near5		
		audio with video with local\$5) and		
		(correspond\$5 or associat\$6) with		
		(remot\$3 or end?point or endpoint or		
		end\$5)		
_	11	(((conferenc\$5.ab. and video.ab.) and	USPAT;	2003/10/28
		(video.ti. and video.ab.)) and (computer	US-PGPUB;	16:57
1		or desktop) near6 video near5	EPO;	
1		conferenc\$5) and process\$5 near5 audio	DERWENT;	
		with video with local\$5	IBM TDB	